

TECHNICAL DATA:

Easily accessible device, according to standard EN 1176-1:2017


Device dimensions: 3,61 x 3,23m Device height: 3,30m 7,06 x 6,23m Minimum space: Falling area: 29,72m² Critical fall height: 0,90m Foundations depth: -0,60m

The device according to EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods

Safety surfaces:

- turf/topsoil, sand, gravel, bark, synthetic surfaceminimal thickness for loose particulate materials 200+100mm
- synthetic surface according to critical fall height

Top view with falling area



COMPONENTS: MATERIALS: Tower with roof, platform 90cm 1 pc steel square profiles, galvanized, Construction poles: Tower without roof, platform 90cm 1 pc powder coated in gray Corner climbing wall 90cm 1 pc Flat decorative elements: **HDPE** sheets Entry stairs 90cm 1 pc waterproof plywood, with anti-slip Platforms, gangways: Slide 90cm 1 pc layer, based on steel structure Small toyshop 1 pc Steel elements: galvanized black steel, powder coated Surface of slide: stainless steel Climbing walls: waterproof plywood, climbing grips based on resins Caps: plastic Foundations: concrete min. C12/15 standard



GRUPA SATERNUS S. A. ul. Nowa 32 41-500 Chorzów, Poland

Certificate beholder: Producer: Distributor: GRUPA SATERNUS S. A., reserves all rights to protect copyright Under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS S. A. Saternus Production Sp. z o.o. sp. k. Saternus Distribution Sp. z o.o. sp. k.